



# Beaverton METAL WORKS

705-426-7751  
B-1420 Con. Rd 4  
Beaverton, Ontario



Est. 1975



## RAILWAY ACCESSORIES SPECIFICATIONS FOR MARINE RAILWAYS

| Model | Weight Capacity | Max. Beam | Width Overall | Boat Support | Type of Support                | Track Width | Recommended Winch              |
|-------|-----------------|-----------|---------------|--------------|--------------------------------|-------------|--------------------------------|
| MR15  | 1,500lbs        | 7'6"      | 8'            | adjustable   | wood c/w carpet                | 43"         | 1,800 hand 1/2 HP electric     |
| MR40  | 4,000lbs        | 8'6"      | 9'            | adjustable   | wood c/w carpet optional steel | 55-1/2"     | 2,000 hand 3/4 or 1HP electric |
| MR60  | 6,000lbs        | 9'6"      | 10'           | adjustable   | steel c/w wood & carpet        | 67-1/2"     | 3,500 hand 1-1/2 HP electric   |
| MR80  | 8,000lbs        | 10'       | 10'6"         | adjustable   | steel c/w wood & carpet        | 67-1/2"     | 3,500 hand 1-1/2 HP electric   |
| MR100 | 10,000lbs       | 10'6"     | 11'           | adjustable   | steel c/w wood & carpet        | 78-1/2"     | 2 HP electric                  |
| MR120 | 12,000lbs       | 11'       | 11'6"         | adjustable   | steel c/w wood & carpet        | 78-1/2"     | 2 HP electric                  |

## WET SLIP BOAT LIFTS

### SPECIFICATIONS · USING EXISTING BEAMS

| Model     | Capacity   | Type of Support    |
|-----------|------------|--------------------|
| GS20      | 2,000 lbs  | Platform or Slings |
| GS40      | 4,000 lbs  | Platform or Slings |
| GS60      | 6,000 lbs  | Platform or Slings |
| GS100     | 10,000 lbs | Platform or Slings |
| GS200     | 20,000 lbs | Platform or Slings |
| AS 2500   | 2,500 lbs  | Platform or Slings |
| AS 3500   | 3,500 lbs  | Platform or Slings |
| AS 5000   | 5,000 lbs  | Platform or Slings |
| AS 7000   | 7,000 lbs  | Platform or Slings |
| AS 10,000 | 10,000 lbs | Platform or Slings |
| AS 15,000 | 15,000 lbs | Platform or Slings |
| AS 20,000 | 20,000 lbs | Platform or Slings |

### ACCESSORIES

| Keepers & Slings                  |                  |
|-----------------------------------|------------------|
| Winter keepers for Platform Lifts |                  |
| Slings                            | 4" x any length  |
|                                   | 6" x any length  |
|                                   | 8" x any length  |
|                                   | 10" x any length |



## HOT DIPPED GALVANIZED STEEL BOAT LIFTS



### SPECIFICATIONS

| Model  | Capacity  | Lift Height | Max. Beam |
|--------|-----------|-------------|-----------|
| S70    | 700 lbs   | 4'          | 75"       |
| S125   | 1,250 lbs | 4'          | 90"       |
| S180   | 1,800 lbs | 4'          | 90"       |
| S280   | 2,800 lbs | 4'          | 100"      |
| S280-5 | 2,800 lbs | 5'          | 100"      |
| S360   | 3,600 lbs | 4'          | 100"      |
| S360-5 | 3,600 lbs | 5'          | 100"      |

### STEEL BOAT LIFT ACCESSORIES

1. Vertical Guide Bumpers
2. Transport Kit
3. Catwalk Brackets
4. Dutton Electric Winch
5. Heavy Duty Electric Winch
6. Adjustable Legs
7. Roof Systems - Wide range of colours

## ALUMINUM ALC SERIES BOAT LIFTS

### SPECIFICATIONS

| Model    | Capacity  | Lift Height | Max. Beam |
|----------|-----------|-------------|-----------|
| ALC1000  | 1,000 lbs | 4'          | 75"       |
| PALC1200 | 1,200 lbs | 4'          | 90"       |
| ALC1500  | 1,500 lbs | 4'          | 90"       |
| ALC2500  | 2,500 lbs | 4'          | 100"      |

### ALUMINUM ALC BOAT LIFT ACCESSORIES

1. Adjustable Leg Assembly
2. Vertical Guide Bumpers
3. Electric Winch
4. Transport Kit



## ALUMINUM BOAT LIFTS

### SPECIFICATIONS

| Model | Capacity  | Lift Height | Adjustable Legs | Max. Beam | Weight  |
|-------|-----------|-------------|-----------------|-----------|---------|
| A18   | 1,800 lbs | 42"         | 4 @ 24"         | 98"       | 265 lbs |
| A24   | 2,400 lbs | 42"         | 4 @ 24"         | 104"      | 315 lbs |
| A30   | 3,000 lbs | 42"         | 4 @ 24"         | 111"      | 365 lbs |
| A45   | 4,500 lbs | 42"         | 4 @ 24"         | 117"      | 435 lbs |

## ALUMINUM VERTICAL LIFTS

### SPECIFICATIONS

| Model | Capacity  | Max. Beam | Lift Height | Weight  |
|-------|-----------|-----------|-------------|---------|
| A14V  | 1,400 lbs | 82"       | 66"         | 250 lbs |
| A20V  | 2,000 lbs | 102"      | 66"         | 315 lbs |
| A26V  | 2,600 lbs | 102"      | 66"         | 345 lbs |
| A38V  | 3,800 lbs | 108"      | 66"         | 425 lbs |
| A50V  | 5,000 lbs | 112"      | 66"         | 525 lbs |
| A65V  | 6,500 lbs | 120"      | 66"         | 680 lbs |

### FEATURES

- 66" Lift Height
- V Side for Easy Access
- all Aluminum frame and lift platform
- Adjustable Legs and Base Pads for level installation
- Full Length Carpeted Bunk Support or Adjustable Pad Supports
- **Naylor exclusive** -
- All pivot Points & Pulleys have Delrin Bushings & Stainless Axles*
- 5/16" Dia. Stainless Cable

# PERSONAL WATERCRAFT DOCK SIDER

## SPECIFICATIONS

| Model  | Capacity  | Max. Beam | Lift Height |
|--------|-----------|-----------|-------------|
| A-8    | 800 lbs   | 48"       | 36"         |
| A-1050 | 1,050 lbs | 54"       | 36"         |

## SPECIFICATIONS

| Model  | Capacity  | Max. Beam |
|--------|-----------|-----------|
| GAL-8  | 800 lbs   | 60"       |
| GAL-12 | 1,200 lbs | 72"       |

## ALUMINUM FRAME DOCKS & ACCESSORIES

## SPECIFICATIONS



| Length        | Width         | No Wood    | Western Cedar, Raindrop, vinplas | Trex Deck               |
|---------------|---------------|------------|----------------------------------|-------------------------|
| 16' Wheel End | 4' or 6'      | Frame only | Snap on 4'x4'<br>6'x2'           | 4'x2'<br>6'x2'          |
| 12' Dock      | 4', 6', or 8' | Frame only | Snap on 4'x4'<br>6'x2'<br>8'x2'  | 4'x2'<br>6'x2'<br>8'x2' |
| 16' Dock      | 4' or 6'      | Frame only | Snap on 4'x4'<br>6'x2'<br>8'x2'  | 4'x2'<br>6'x2'          |
| 8' Dock       | 4', 6', or 8' | Frame only | Snap on 4'x4'<br>6'x2'<br>8'x2"  | 4'x2'<br>6'x2'<br>8'x2' |
| 8' Ramp       | 4', 6', or 8' | Frame only | Snap on 4'x4'<br>6'x2'<br>8'x2'  | 4'x2'<br>6'x2'<br>8'x2' |

## DOCK ACCESSORIES

1. Cedar bumper
2. Dock legs: 1-7/8" outside diameter
3. Dock feet: Plain
4. Dock feet: Turned Down ( not show)
- 5 . Anti-sway brace with leg collars: 4-foot
- 6 . Anti-sway brace with leg collars: 6-foot
- 7 . Aluminum cleats: 8-inch - Plain or 6" - Fold down
- 8 . Protective caps (not shown)
- 9 . Dock ladders: Three, four, five, six or seven step aluminum ladder
- 10 . Vertical Guide Bumpers (not show)
- 11 . Stainless screws for vinyl bumper
12. Corner bumpers
13. Bumper material New Style



## ALUMINUM DOCK INTERLOCK SERIES

|                               |   |
|-------------------------------|---|
| <b>Lightweight:</b>           | Structural aluminum frame for convenience, durability and long lasting satisfaction.  |
| <b>Dock Configuration</b>     | The interlock design enables docks to be joined together in any design configuration. This feature is exclusive only to the interlocking series.  |
| <b>Decking</b>                | 2"x6" decking comes in two-foot panels complete with snap clips.  |
| <b>Dock Leg Holder</b>        | Provides telescopic leg adjustment between the dock leg and holder. The dock leg does not protrude through the deck.  |
| <b>Appearance</b>             | Extruded aluminum side rails provide a crisp, clean, functional appearance.   |
| <b>Interlock Dock Package</b> | 2 10' Aluminum extruded frames<br>4 Telescopic leg holders<br>4 Galvanized pipe dock legs<br>2 Corner bumpers<br>Vinyl side and end bumper<br>2"x6" Western Red Cedar decking<br>Joiner strip |
| <b>Centre Dock Includes</b>   | 1 10' Aluminum extruded frame<br>2 Telescopic leg holders<br>2 Galvanized pipe dock legs<br>Vinyl side and end bumpers<br>2"x6" Western Red Cedar decking<br>Joiner strip                     |



### SIZES

|                           |                                  |
|---------------------------|----------------------------------|
| 7' x 16'                  | Fits A14V                        |
| 8' x 18'                  | Fits S180                        |
| 8'6" x 18'                | Fits A18                         |
| 9' x 20'                  | Fits A24, S280, S360, A20V, A26V |
| 9'6" x 22'                | Fits A38V                        |
| 9'9" x 22'                | Fits A30                         |
| 10' x 24'                 | Fits A50V                        |
| 10'3" x 24'               | Fits A45                         |
| 11' x 24', or 26', or 28' | Fits A65V                        |

## ROOF SYSTEMS

### FEATURES

- all Aluminum Frame
- Polyester Vinyl Material
- 19oz Double Coated
- Mildew & Rot Resistant
- Ultraviolet Resistant

### STANDARD COLOURS (not exactly as shown)

|        |
|--------|
| BLUE   |
| WHITE  |
| GREEN  |
| YELLOW |
| RED    |
| GREY   |
| BLACK  |